



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/019,494

03/08/2002

Samuel D. Bernal

65879-5006

1407

24574

7590

07/23/2008

JEFFER, MANGELS, BUTLER & MARMARO, LLP  
1900 AVENUE OF THE STARS, 7TH FLOOR  
LOS ANGELES, CA 90067

EXAMINER

EBRAHIM, NABILA G

ART UNIT

PAPER NUMBER

1618

MAIL DATE

DELIVERY MODE

07/23/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10019494	3/8/2002	BERNAL ET AL.	65879-5006

JEFFER, MANGELS, BUTLER & MARMARO, LLP  
1900 AVENUE OF THE STARS, 7TH FLOOR  
LOS ANGELES, CA 90067

**EXAMINER**

NABILA G. EBRAHIM

ART UNIT	PAPER
----------	-------

1618	20080720
------	----------

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner for Patents**

Dear Mr. Swain:

In response to the non-compliant Request for Continued Examination, since the applicant didn't respond before the suspension time is up, there should be a one month letter informing the client that the suspension time was up and they didn't submit the proper submission and the prosecution is closed. Client should file a new RCE along with the fee and proper submission.

/Michael G. Hartley/  
Supervisory Patent Examiner, Art Unit 1618

/Nabila G Ebrahim/  
Examiner, Art Unit 1618